

uploading information from a first apparatus to a server (106), the information stored in a first database of the first apparatus for use in the first apparatus, and the server accessible by a second apparatus;

determining whether the information is more recent than a copy of the information stored on the server;

*B1*  
updating the copy of the information with the uploaded information, if it is determined that the uploaded information is more recent;

manipulating the information at the server; and

downloading the manipulated information from the server to the second apparatus for storage in a second database (124) of the second apparatus for use in the second apparatus,

wherein the manipulated information can be automatically entered and updated into the second database for use by an application in the second apparatus requiring a predetermined data format regardless of communication compatibility between the first apparatus and the second apparatus.

*500*  
8. (Twice Amended) A method of providing a service for enabling to transfer information in a first database (108) of a first electronic apparatus (102) to a second apparatus (104), comprising:

*B2*  
enabling to upload information from a first apparatus to a server (106), the information stored in a first database of the first apparatus for use in the first apparatus, and the server accessible by a second apparatus;

enabling to determine whether the information is more recent than a copy of the information stored on the server;

32  
updating the copy of the information with the uploaded information, if it is determined that the uploaded information is more recent; enabling to manipulate the information at the server; and enabling to download the manipulated information from the server to the second apparatus for storage in a second database (124) of the second apparatus for use in the second apparatus,

wherein the manipulated information can be automatically entered and updated into the second database for use by an application requiring a predetermined data format regardless of communication compatibility between the first apparatus and the second apparatus.

53  
33  
11. (Once Amended) A method for transferring data in a database of a first mobile terminal to a second mobile terminal, comprising:

providing a common server accessible to a first mobile terminal and a second mobile terminal, the first mobile terminal having at least a first application and associated first database for use in the first mobile terminal, and the second mobile terminal having at least a second application and associated second database for use in the second mobile terminal; uploading data from the first application's first database to the common server; associating the data with a particular user; determining a format required by the particular user; converting the uploaded data to conform to the format; downloading the converted data automatically into the second database for use by the second application.